Brain Research, 629 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Abbe, R., see Bostwick, J.R. (629) 79
Acciarri, N., see Ferraro, L. (629) 103
Al-Dokhayel, A.A.M., see Lambert, P.D. (629) 146
Albonetti, M.E., see Aloisi, A.M. (629) 167
Albrecht, J., see Oja, S.S. (629) 355
Aloisi, A.M., Albonetti, M.E., Lodi, L., Lupo, C. and Carli, G.
Decrease of hippocampal choline acetyltransferase activity induced by formalin pain (629) 167
Antonelli, T., see Ferraro, L. (629) 103
Appel, S.H., see Bostwick, J.R. (629) 79

Babstock, D.M. and Harley, C.W.
Lateral olfactory tract input to dentate gyrus is depressed by prior noradrenergic activation using nucleus paragigantocellularis stimulation (629) 149
Baek, S.Y., see Park, H.T. (629) 335
Baker, M.G., see Jagust, W.J. (629) 189
Baljet, B., see Prins, M. (629) 315
Bandler, R., see Kaube, H. (629) 95
Barg, J., Nah, S.-Y., Levy, R., Saya, D. and Vogel, Z.
Modulation of thymidine incorporation by κ-opioid ligands in rat spinal cord-dorsal root ganglion co-cultures (629) 109
Bastani, B., see Mooradian, A.D. (629) 128
Baubichon, D., see Lallement, G. (629) 239
Beani, L., see Ferraro, L. (629) 103
Beauregard, C.L., see Smith, P.G. (629) 319
Behl, C., see Schubert, D. (629) 275
Bianchi, C., see Ferraro, L. (629) 103
Blanchet, G., see Lallement, G. (629) 239
Bloom, S.R., see Lambert, P.D. (629) 146
Bostwick, J.R., Abbe, R. and Appel, S.H.
Modulation of acetylcholine release in rat hippocampus by amino alcohols and Bay K 8644 (629) 79
Bredt, D.S., see Yoshida, K. (629) 67
Brockerhoff, H., see Chauhan, A. (629) 47
Browne, S.E., see Fujisawa, H. (629) 73
Budinger, T.F., see Jagust, W.J. (629) 189
Bullock, R., see Fujisawa, H. (629) 73

Calo', G., see Ferraro, L. (629) 103
Carli, G., see Aloisi, A.M. (629) 167
Carpentier, P., see Lallement, G. (629) 239
Chauhan, A., Chauhan, V.P.S., Murakami, N., Brockerhoff, H. and Wisniewski, H.M.
Amyloid β-protein stimulates casein kinase I and casein kinase II activities (629) 47
Chauhan, V.P.S., see Chauhan, A. (629) 47
Collet, A., see Lallement, G. (629) 239
Coombs, D.W., see Wagner, R. (629) 323
Cork, L.C., see Tsai, G. (629) 305
Coyle, J.T., see Tsai, G. (629) 305

Dawson, D., see Fujisawa, H. (629) 73
Dawson, D., see Ross, B. (629) 225
DeBellis, M.D., see Kling, M.A. (629) 163
DeLeo, J.A., see Wagner, R. (629) 323
Demas, J., see Kling, M.A. (629) 163
Deschepper, C.F., see Mellon, S.H. (629) 283
Dewar, D., see Ross, B. (629) 225

Earles, D.R., see Koceja, D.M. (629) 155
Eaton, M.J., Gopalan, C., Kim, E., Lookingland, K.J. and Moore, K.E.
Comparison of the effects of the dopamine D_2 agonist quinelorane on tuberoinfundibular dopaminergic neuronal activity in male and female rats (629) 53
Eberling, J.L., see Jagust, W.J. (629) 189
Eitan, S., see Sivron, T. (629) 199
Ekhator, N.N., see Geracioti Jr., T.D. (629) 260
Erwin, V.G. and Radcliffe, R.A.
Characterization of neurotensin-stimulated phosphoinositide hydrolysis in brain regions of long sleep and short sleep mice (629) 59

Fabrizi, A., see Ferraro, L. (629) 103
Fairchild, M.D., see Szymusiak, R. (629) 141
Ferraro, L., Tanganelli, S., Calo', G., Antonelli, T., Fabrizi, A., Acciarri, N., Bianchi, C., Beani, L. and Simonato, M.
Noradrenergic modulation of γ-aminobutyric acid outflow from the human cerebral cortex (629) 103
Fontana, D.J., Post, R.M. and Pert, A.
Conditioned increases in mesolimbic dopamine overflow by stimuli associated with cocaine (629) 31
Fromm, C., see Wagner, R. (629) 323
Fujisawa, H., Dawson, D., Browne, S.E., MacKay, K.B., Bullock, R. and McCulloch, J.
Pharmacological modification of glutamate neurotoxicity in vivo (629) 73
Futuro-Neto, H.A., Pires, J.G.P., Gilbey, M.P. and Ramage, A.G.
Evidence for the ability of central 5-HT_{1A} receptors to modulate the vagal bradycardia induced by stimulating the upper airways of anesthetized rabbits with smoke (629) 349

Gemba, H., see Tsujimoto, T. (629) 1
Geracioti Jr., T.D., Nicholson, W.E., Orth, D.N., Ekhator, N.N. and Loosen, P.T.
Cholecystokinin in human cerebrospinal fluid: concentrations, dynamics, molecular forms and relationship to fasting and feeding in health, depression and alcoholism (629) 260
Gilbey, M.P., see Futuro-Neto, H.A. (629) 349
Gilbey, S.G., see Lambert, P.D. (629) 146
Glowa, J.R., see Kling, M.A. (629) 163
Goadsby, P.J., see Kaube, H. (629) 95
Gold, P.W., see Kling, M.A. (629) 163
Gopalan, C., see Eaton, M.J. (629) 53
Goshima, Y., see Yue, J.-L. (629) 310
Graff-Radford, N.R., see Wood, J.A. (629) 245
Graham, D.I., see Mackay, K.B. (629) 10

Hari, R., see Tesche, C. (629) 19
Harley, C.W., see Babstock, D.M. (629) 149
Hertz, L., see Peng, L. (629) 331
Hijiya, H., see Ichikawa, H. (629) 231
Hirai, H. and Okada, Y.
Ipsilateral corticotectal pathway inhibits the formation of long-term potentiation (LTP) in the rat superior colliculus through GABAergic mechanism (629) 23
Holash, J.A. and Stewart, P.A.
The relationship of astrocyte-like cells to the vessels that contribute to the blood–ocular barriers (629) 218
Homma, S., Yamazaki, Y. and Karakida, T.
Blood pressure and heart rate relationships during cervical sympathetic and vagus nerve stimulation in streptozotocin diabetic rats (629) 342
Hoskin, K.L., see Kaube, H. (629) 95
Hummel, T., see Thürauf, N. (629) 293

Ichikawa, H., Mitani, S., Hijiya, H., Nakago, T., Jacobowitz, D.M. and Sugimoto, T.
Calretinin-immunoreactivity in trigeminal neurons innervating the nasal mucosa of the rat (629) 231
Ido, T., see Sakamoto, A. (629) 171

Jacobowitz, D.M., see Ichikawa, H. (629) 231
Jagust, W.J., Eberling, J.L., Richardson, B.C., Reed, B.R., Baker, M.G., Nordahl, T.E. and Budinger, T.F.
The cortical topography of temporal lobe hypometabolism in early Alzheimer's disease (629) 189
Jakuš, J., see Yates, B.J. (629) 209
Jenden, D.J., see Szymusiak, R. (629) 141

Kabai, P., see Kovach, J.K. (629) 181
Karakida, T., see Homma, S. (629) 342
Kaube, H., Keay, K.A., Hoskin, K.L., Bandler, R. and Goadsby, P.J.
Expression of c-*Fos*-like immunoreactivity in the caudal medulla and upper cervical spinal cord following stimulation of the superior sagittal sinus in the cat (629) 95
Keay, K.A., see Kaube, H. (629) 95
Kenessey, A. and Yen, S.-H.C.
The extent of phosphorylation of fetal tau is comparable to that of PHF-tau from Alzheimer paired helical filaments (629) 40
Kettenmann, B., see Thürauf, N. (629) 293
Kim, B.S., see Park, H.T. (629) 335
Kim, E., see Eaton, M.J. (629) 53

Brain Research, 629 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Abbe, R., see Bostwick, J.R. (629) 79
Acciarri, N., see Ferraro, L. (629) 103
Al-Dokhayel, A.A.M., see Lambert, P.D. (629) 146
Albonetti, M.E., see Aloisi, A.M. (629) 167
Albrecht, J., see Oja, S.S. (629) 355
Aloisi, A.M., Albonetti, M.E., Lodi, L., Lupo, C. and Carli, G.
Decrease of hippocampal choline acetyltransferase activity induced by formalin pain (629) 167
Antonelli, T., see Ferraro, L. (629) 103
Appel, S.H., see Bostwick, J.R. (629) 79

Babstock, D.M. and Harley, C.W.
Lateral olfactory tract input to dentate gyrus is depressed by prior noradrenergic activation using nucleus paragigantocellularis stimulation (629) 149
Baek, S.Y., see Park, H.T. (629) 335
Baker, M.G., see Jagust, W.J. (629) 189
Baljet, B., see Prins, M. (629) 315
Bandler, R., see Kaube, H. (629) 95
Barg, J., Nah, S.-Y., Levy, R., Saya, D. and Vogel, Z.
Modulation of thymidine incorporation by κ-opioid ligands in rat spinal cord-dorsal root ganglion co-cultures (629) 109
Bastani, B., see Mooradian, A.D. (629) 128
Baubichon, D., see Lallement, G. (629) 239
Beani, L., see Ferraro, L. (629) 103
Beauregard, C.L., see Smith, P.G. (629) 319
Behl, C., see Schubert, D. (629) 275
Bianchi, C., see Ferraro, L. (629) 103
Blanchet, G., see Lallement, G. (629) 239
Bloom, S.R., see Lambert, P.D. (629) 146
Bostwick, J.R., Abbe, R. and Appel, S.H.
Modulation of acetylcholine release in rat hippocampus by amino alcohols and Bay K 8644 (629) 79
Bredt, D.S., see Yoshida, K. (629) 67
Brockerhoff, H., see Chauhan, A. (629) 47
Browne, S.E., see Fujisawa, H. (629) 73
Budinger, T.F., see Jagust, W.J. (629) 189
Bullock, R., see Fujisawa, H. (629) 73

Calo', G., see Ferraro, L. (629) 103
Carli, G., see Aloisi, A.M. (629) 167
Carpentier, P., see Lallement, G. (629) 239
Chauhan, A., Chauhan, V.P.S., Murakami, N., Brockerhoff, H. and Wisniewski, H.M.
Amyloid β-protein stimulates casein kinase I and casein kinase II activities (629) 47
Chauhan, V.P.S., see Chauhan, A. (629) 47
Collet, A., see Lallement, G. (629) 239
Coombs, D.W., see Wagner, R. (629) 323
Cork, L.C., see Tsai, G. (629) 305
Coyle, J.T., see Tsai, G. (629) 305

Dawson, D., see Fujisawa, H. (629) 73
Dawson, D., see Ross, B. (629) 225
DeBellis, M.D., see Kling, M.A. (629) 163
DeLeo, J.A., see Wagner, R. (629) 323
Demas, J., see Kling, M.A. (629) 163
Deschepper, C.F., see Mellon, S.H. (629) 283
Dewar, D., see Ross, B. (629) 225

Earles, D.R., see Koceja, D.M. (629) 155
Eaton, M.J., Gopalan, C., Kim, E., Lookingland, K.J. and Moore, K.E.
Comparison of the effects of the dopamine D_2 agonist quinelorane on tuberoinfundibular dopaminergic neuronal activity in male and female rats (629) 53
Eberling, J.L., see Jagust, W.J. (629) 189
Eitan, S., see Sivron, T. (629) 199
Ekhator, N.N., see Geracioti Jr., T.D. (629) 260
Erwin, V.G. and Radcliffe, R.A.
Characterization of neurotensin-stimulated phosphoinositide hydrolysis in brain regions of long sleep and short sleep mice (629) 59

Fabrizi, A., see Ferraro, L. (629) 103
Fairchild, M.D., see Szymusiak, R. (629) 141
Ferraro, L., Tanganelli, S., Calo', G., Antonelli, T., Fabrizi, A., Acciarri, N., Bianchi, C., Beani, L. and Simonato, M.
Noradrenergic modulation of γ-aminobutyric acid outflow from the human cerebral cortex (629) 103
Fontana, D.J., Post, R.M. and Pert, A.
Conditioned increases in mesolimbic dopamine overflow by stimuli associated with cocaine (629) 31
Fromm, C., see Wagner, R. (629) 323
Fujisawa, H., Dawson, D., Browne, S.E., MacKay, K.B., Bullock, R. and McCulloch, J.
Pharmacological modification of glutamate neurotoxicity in vivo (629) 73
Futuro-Neto, H.A., Pires, J.G.P., Gilbey, M.P. and Ramage, A.G.
Evidence for the ability of central 5-HT_{1A} receptors to modulate the vagal bradycardia induced by stimulating the upper airways of anesthetized rabbits with smoke (629) 349

Gemba, H., see Tsujimoto, T. (629) 1
Geracioti Jr., T.D., Nicholson, W.E., Orth, D.N., Ekhator, N.N. and Loosen, P.T.
Cholecystokinin in human cerebrospinal fluid: concentrations, dynamics, molecular forms and relationship to fasting and feeding in health, depression and alcoholism (629) 260
Gilbey, M.P., see Futuro-Neto, H.A. (629) 349
Gilbey, S.G., see Lambert, P.D. (629) 146
Glowa, J.R., see Kling, M.A. (629) 163
Goadsby, P.J., see Kaube, H. (629) 95
Gold, P.W., see Kling, M.A. (629) 163
Gopalan, C., see Eaton, M.J. (629) 53
Goshima, Y., see Yue, J.-L. (629) 310
Graff-Radford, N.R., see Wood, J.A. (629) 245
Graham, D.I., see Mackay, K.B. (629) 10

Hari, R., see Tesche, C. (629) 19
Harley, C.W., see Babstock, D.M. (629) 149
Hertz, L., see Peng, L. (629) 331
Hijiya, H., see Ichikawa, H. (629) 231
Hirai, H. and Okada, Y.
Ipsilateral corticotectal pathway inhibits the formation of long-term potentiation (LTP) in the rat superior colliculus through GABAergic mechanism (629) 23
Holash, J.A. and Stewart, P.A.
The relationship of astrocyte-like cells to the vessels that contribute to the blood–ocular barriers (629) 218
Homma, S., Yamazaki, Y. and Karakida, T.
Blood pressure and heart rate relationships during cervical sympathetic and vagus nerve stimulation in streptozotocin diabetic rats (629) 342
Hoskin, K.L., see Kaube, H. (629) 95
Hummel, T., see Thürauf, N. (629) 293

Ichikawa, H., Mitani, S., Hijiya, H., Nakago, T., Jacobowitz, D.M. and Sugimoto, T.
Calretinin-immunoreactivity in trigeminal neurons innervating the nasal mucosa of the rat (629) 231
Ido, T., see Sakamoto, A. (629) 171

Jacobowitz, D.M., see Ichikawa, H. (629) 231
Jagust, W.J., Eberling, J.L., Richardson, B.C., Reed, B.R., Baker, M.G., Nordahl, T.E. and Budinger, T.F.
The cortical topography of temporal lobe hypometabolism in early Alzheimer's disease (629) 189
Jakuš, J., see Yates, B.J. (629) 209
Jenden, D.J., see Szymusiak, R. (629) 141

Kabai, P., see Kovach, J.K. (629) 181
Karakida, T., see Homma, S. (629) 342
Kaube, H., Keay, K.A., Hoskin, K.L., Bandler, R. and Goadsby, P.J.
Expression of c-*Fos*-like immunoreactivity in the caudal medulla and upper cervical spinal cord following stimulation of the superior sagittal sinus in the cat (629) 95
Keay, K.A., see Kaube, H. (629) 95
Kenessey, A. and Yen, S.-H.C.
The extent of phosphorylation of fetal tau is comparable to that of PHF-tau from Alzheimer paired helical filaments (629) 40
Kettenmann, B., see Thürauf, N. (629) 293
Kim, B.S., see Park, H.T. (629) 335
Kim, E., see Eaton, M.J. (629) 53

Kim, J.B., see Park, H.T. (629) 335
Kim, J.J., see Park, H.T. (629) 335
Kimura, H., see Yoshida, K. (629) 67
Kling, M.A., Smith, M.A., Glowa, J.R., Pluznik, D., Demas, J., DeBellis, M.D., Gold, P.W. and Schulkin, J.
Facilitation of cocaine kindling by glucocorticoids in rats (629) 163
Knowler, J., see Ross, B. (629) 225
Kobal, G., see Thürauf, N. (629) 293
Koceja, D.M., Trimble, M.H. and Earles, D.R.
Inhibition of the soleus H-reflex in standing man (629) 155
Koch, M.
Microinjections of the metabotropic glutamate receptor agonist, trans-(±)-1-amino-cyclopentane-1,3-dicarboxylate (trans-ACPD) into the amygdala increase the acoustic startle response of rats (629) 176
Kogure, K., see Sugimoto, A. (629) 159
Kovach, J.K. and Kabai, P.
Effects of bilateral hemispherectomy on genetically variable stimulus preferences and imprinting in quail chicks (629) 181
Krivanek, J.
Protein kinase C in nucleus parabrachialis: effect of drugs inducing conditioned taste aversion (629) 327
Kusumoto, K., see Mackay, K.B. (629) 10

Lai, N.K., see Martin, W.J. (629) 300
Lallement, G., Carpentier, P., Pernot-Marino, I., Baubichon, D., Collet, A. and Blanchet, G.
Transient impairment of the gabaergic function during initiation of soman-induced seizures (629) 239
Lambert, P.D., Wilding, J.P.H., Al-Dokhayel, A.A.M., Gilbey, S.G. and Bloom, S.R.
The effect of central blockade of kappa-opioid receptors on neuropeptide Y-induced feeding in the rat (629) 146
Levy, R., see Barg, J. (629) 109
Li, Y. and Raisman, G.
Long axon growth from embryonic neurons transplanted into myelinated tracts of the adult rat spinal cord (629) 115
Lodi, L., see Aloisi, A.M. (629) 167
Lookingland, K.J., see Eaton, M.J. (629) 53
Loosen, P.T., see Geracioti Jr., T.D. (629) 260
Lupo, C., see Aloisi, A.M. (629) 167

Mackay, K.B., Kusumoto, K., Graham, D.I. and McCulloch, J.
Effect of the kappa-1 opioid agonist CI-977 on ischemic brain damage and cerebral blood flow after middle cerebral artery occlusion in the rat (629) 10
MacKay, K.B., see Fujisawa, H. (629) 73
Macrae, M., see Ross, B. (629) 225
Marshall, D.L. and Wurtman, R.J.
Effect of choline on basal and stimulated acetylcholine release: an in vivo microdialysis study using a low neostigmine concentration (629) 269
Martin, W.J., Lai, N.K., Patrick, S.L., Tsou, K. and Walker, J.M.
Antinociceptive actions of cannabinoids following intraventricular administration in rats (629) 300
McCulloch, J., see Fujisawa, H. (629) 73
McCulloch, J., see Mackay, K.B. (629) 10
McCulloch, J., see Ross, B. (629) 225
McGinty, D., see Szymusiak, R. (629) 141
Mellon, S.H. and Deschepper, C.F.
Neurosteroid biosynthesis: genes for adrenal steroidogenic enzymes are expressed in the brain (629) 283
Miller, A.D., see Yates, B.J. (629) 209
Misu, Y., see Yue, J.-L. (629) 310
Mitani, S., see Ichikawa, H. (629) 231
Miyamae, T., see Yue, J.-L. (629) 310
Miyamoto, T., Okada, Y. and Sato, T.
Inhibition of salt-induced gustatory responses in the frog (*Rana catesbeiana*) by 5′-GMP (629) 345
Mooradian, A.D. and Bastani, B.
Identification of proton-translocating adenosine triphosphatases in rat cerebral microvessels (629) 128
Moore, K.E., see Eaton, M.J. (629) 53
Mundy, W.R., see Shafer, T.J. (629) 133
Murakami, N., see Chauhan, A. (629) 47

Nah, S.-Y., see Barg, J. (629) 109
Nakago, T., see Ichikawa, H. (629) 231
Nakashima, M., see Yanaura, M. (629) 88
Nicholson, W.E., see Geracioti Jr., T.D. (629) 260
Nordahl, T.E., see Jagust, W.J. (629) 189

Ohara, P.T., see Wang, B.-R. (629) 253
Oja, S.S., Saransaari, P., Wysmyk, U. and Albrecht, J.
Loss of $GABA_B$ binding sites in the cerebral cortex of rats with acute hepatic encephalopathy (629) 355
Okada, Y., see Hirai, H. (629) 23
Okada, Y., see Miyamoto, T. (629) 345
Okamura, T., see Yoshida, K. (629) 67
Onodera, H., see Sugimoto, A. (629) 159
Orth, D.N., see Geracioti Jr., T.D. (629) 260
Otto, J.A., see Prins, M. (629) 315

Park, H.T., Baek, S.Y., Kim, B.S., Kim, J.B. and Kim, J.J.
Calcitonin gene-related peptide-like immunoreactive (CGRPI) elements in the circadian system of the mouse: an immunohistochemistry combined with retrograde transport study (629) 335
Patrick, S.L., see Martin, W.J. (629) 300
Peng, L. and Hertz, L.
Potassium-induced stimulation of oxidative metabolism of glucose in cultures of intact cerebellar granule cells but not in corresponding cells with dendritic degeneration (629) 331
Pernot-Marino, I., see Lallement, G. (629) 239
Pert, A., see Fontana, D.J. (629) 31
Pilapil, C., see Wood, J.A. (629) 245
Pires, J.G.P., see Futuro-Neto, H.A. (629) 349
Pluznik, D., see Kling, M.A. (629) 163
Post, R.M., see Fontana, D.J. (629) 31
Price, D., see Tsai, G. (629) 305
Prins, M., Van der Werf, F., Baljet, B. and Otto, J.A.
Calcitonin gene-related peptide and substance P immunoreactivity in the monkey trigeminal ganglion, an electron microscopic study (629) 315

Quirion, R., see Wood, J.A. (629) 245

Radcliffe, R.A., see Erwin, V.G. (629) 59
Raisman, G., see Li, Y. (629) 115
Ramage, A.G., see Futuro-Neto, H.A. (629) 349
Reed, B.R., see Jagust, W.J. (629) 189
Richardson, B.C., see Jagust, W.J. (629) 189
Robitaille, Y., see Wood, J.A. (629) 245
Ross, B., Dawson, D., Dewar, D., Macrae, M., Knowler, J. and McCulloch, J.
Effects of post-mortem delay on high affinity forskolin binding sites and adenylate cyclase activity in rat and human striatum and cerebral cortex (629) 225
Ryan, R., see Wood, J.A. (629) 245

Sakamoto, A. and Ido, T.
Liposome targeting to rat brain: effect of osmotic opening of the blood–brain barrier (629) 171
Saransaari, P., see Oja, S.S. (629) 355
Sasaki, K., see Tsujimoto, T. (629) 1
Sato, T., see Miyamoto, T. (629) 345
Saya, D., see Barg, J. (629) 109
Schreyer, D.J., see Sivron, T. (629) 199
Schubert, D. and Behl, C.
The expression of amyloid beta protein precursor protects nerve cells from β-amyloid and glutamate toxicity and alters their interaction with the extracellular matrix (629) 275
Schulkin, J., see Kling, M.A. (629) 163
Schwartz, M., see Sivron, T. (629) 199
Shafer, T.J., Mundy, W.R. and Tilson, H.A.
Aluminum decreases muscarinic, adrenergic, and metabotropic receptor-stimulated phosphoinositide hydrolysis in hippocampal and cortical slices from rat brain (629) 133
Shiono, S., see Yanaura, M. (629) 88
Shozuhara, H., see Sugimoto, A. (629) 159
Simonato, M., see Ferraro, L. (629) 103
Sivron, T., Eitan, S., Schreyer, D.J. and Schwartz, M.
Astrocytes play a major role in the control of neuronal proliferation in vitro (629) 199
Slusher, B.S., see Tsai, G. (629) 305
Smith, M.A., see Kling, M.A. (629) 163
Smith, P.G. and Beauregard, C.L.
Conversion of parasympathetic nerve function from prejunctional inhibition to postjunctional excitation following sympathectomy of rat periorbital smooth muscle (629) 319
Snyder, S.H., see Yoshida, K. (629) 67
Stewart, P.A., see Holash, J.A. (629) 218

Sugimoto, A., Shozuhara, H., Kogure, K. and Onodera, H.
Exposure to sub-lethal ischemia failed to prevent subsequent ischemic death of dentate hilar neurons, as estimated by laminin immunohistochemistry (629) 159
Sugimoto, T., see Ichikawa, H. (629) 231
Szymusiak, R., McGinty, D., Fairchild, M.D. and Jenden, D.J.
Sleep–wake disturbances in an animal model of chronic cholinergic insufficiency (629) 141

Tanganelli, S., see Ferraro, L. (629) 103
Tesche, C. and Hari, R.
Independence of steady-state 40-Hz response and spontaneous 10-Hz activity in the human auditory cortex (629) 19
Thürauf, N., Hummel, T., Kettenmann, B. and Kobal, G.
Nociceptive and reflexive responses recorded from the human nasal mucosa (629) 293
Tilson, H.A., see Shafer, T.J. (629) 133
Toda, N., see Yoshida, K. (629) 67
Trimble, M.H., see Koceja, D.M. (629) 155
Tsai, G., Cork, L.C., Slusher, B.S., Price, D. and Coyle, J.T.
Abnormal acidic amino acids and *N*-acetylaspartylglutamate in hereditary canine motoneuron disease (629) 305
Tsou, K., see Martin, W.J. (629) 300
Tsujimoto, T., Gemba, H. and Sasaki, K.
Effect of cooling the dentate nucleus of the cerebellum on hand movement of the monkey (629) 1

Van der Werf, F., see Prins, M. (629) 315
Vogel, Z., see Barg, J. (629) 109

Wagner, R., DeLeo, J.A., Coombs, D.W., Willenbring, S. and Fromm, C.
Spinal dynorphin immunoreactivity increases bilaterally in a neuropathic pain model (629) 323
Walker, J.M., see Martin, W.J. (629) 300
Wang, B.-R. and Ohara, P.T.
Convergent projections of trigeminal afferents from the principal nucleus and subnucleus interpolaris upon rat ventral posteromedial thalamic neurons (629) 253
Wilding, J.P.H., see Lambert, P.D. (629) 146
Willenbring, S., see Wagner, R. (629) 323
Wisniewski, H.M., see Chauhan, A. (629) 47
Wood, J.A., Wood, P.L., Ryan, R., Graff-Radford, N.R., Pilapil, C., Robitaille, Y. and Quirion, R.
Cytokine indices in Alzheimer's temporal cortex: no changes in mature IL-1β or IL-1RA but increases in the associated acute phase proteins IL-6, α2-macroglobulin and C-reactive protein (629) 245
Wood, P.L., see Wood, J.A. (629) 245
Wurtman, R.J., see Marshall, D.L. (629) 269
Wysmyk, U., see Oja, S.S. (629) 355

Yamada, S., see Yanaura, M. (629) 88
Yamazaki, Y., see Homma, S. (629) 342
Yanaura, M., Nakashima, M., Yamada, S. and Shiono, S.
Characterization of slow postsynaptic K^+ current of *Aplysia* LUQ neurons in culture (629) 88
Yates, B.J., Jakuš, J. and Miller, A.D.
Vestibular effects on respiratory outflow in the decerebrate cat (629) 209
Yen, S.-H.C., see Kenessey, A. (629) 40
Yoshida, K., Okamura, T., Kimura, H., Bredt, D.S., Snyder, S.H. and Toda, N.
Nitric oxide synthase-immunoreactive nerve fibers in dog cerebral and peripheral arteries (629) 67
Yue, J.-L., Goshima, Y., Miyamae, T. and Misu, Y.
Evidence for L-DOPA relevant to modulation of sympathetic activity in the rostral ventrolateral medulla of rats (629) 310

(contents continued)

Conversion of parasympathetic nerve function from prejunctional inhibition to postjunctional excitation following sympathectomy of rat periorbital smooth muscle
P.G. Smith and C.L. Beauregard (USA) 319
Spinal dynorphin immunoreactivity increases bilaterally in a neuropathic pain model
R. Wagner, J.A. DeLeo, D.W. Coombs, S. Willenbring and C. Fromm (USA) 323
Protein kinase C in nucleus parabrachialis: effect of drugs inducing conditioned taste aversion
J. Krivanek (Czech Republic) 327
Potassium-induced stimulation of oxidative metabolism of glucose in cultures of intact cerebellar granule cells but not in corresponding cells with dendritic degeneration
L. Peng and L. Hertz (Canada) 331
Calcitonin gene-related peptide-like immunoreactive (CGRPI) elements in the circadian system of the mouse: an immunohistochemistry combined with retrograde transport study
H.T. Park, S.Y. Baek, B.S. Kim, J.B. Kim and J.J. Kim (South Korea) 335
Blood pressure and heart rate relationships during cervical sympathetic and vagus nerve stimulation in streptozotocin diabetic rats
S. Homma, Y. Yamazaki and T. Karakida (Japan) 342
Inhibition of salt-induced gustatory responses in the frog (*Rana catesbeiana*) by 5'-GMP
T. Miyamoto, Y. Okada and T. Sato (Japan) 345
Evidence for the ability of central 5-HT_{1A} receptors to modulate the vagal bradycardia induced by stimulating the upper airways of anesthetized rabbits with smoke
H.A. Futuro-Neto, J.G.P. Pires, M.P. Gilbey and A.G. Ramage (Brazil, UK) 349
Loss of $GABA_B$ binding sites in the cerebral cortex of rats with acute hepatic encephalopathy
S.S. Oja, P. Saransaari, U. Wysmyk and J. Albrecht (Finland, Poland) 355

Author Index 358